

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
18 December 2003 (18.12.2003)

PCT

(10) International Publication Number
WO 03/105075 A1

(51) International Patent Classification⁷: G06K 19/06

(21) International Application Number: PCT/US02/17866

(22) International Filing Date: 7 June 2002 (07.06.2002)

(25) Filing Language: English

(26) Publication Language: English

(63) Related by continuation (CON) or continuation-in-part (CIP) to earlier application:
US Not furnished (CIP)
Filed on Not furnished

(71) Applicant (for all designated States except US): TRUSTEES OF BOSTON UNIVERSITY [US/US]; 147 Bay State Road, Boston, MA 02215 (US).

(72) Inventors; and

(75) Inventors/Applicants (for US only): JONES, Guilford, II [US/US]; 84 Walpole Street, Unit 6B, Canton, MA 02021 (US). BURKE, Shawn [US/US]; 39 Kathleen Drive, Andover, MA 01810 (US). MCDONALD, Peter [US/US]; 4 Morse Lane, Natick, MA 01760 (US).

(74) Agents: GAGNEBIN, Charles, L., III et al.; Weingarten, Schurgin, Gagnebin & Lebovici, LLP, Ten Post Office Square, Boston, MA 02109 (US).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.


(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Declarations under Rule 4.17:

— as to applicant's entitlement to apply for and be granted a patent (Rule 4.17(ii)) for the following designations AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CN, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR).

[Continued on next page]

(54) Title: SYSTEM AND METHODS FOR PRODUCT AND DOCUMENT AUTHENTICATION



WO 03/105075 A1

(57) Abstract: The present invention relates to both a system and method for product and document authentication. The system used herein comprises one or more inks, at least one of which is either invisible to the naked eye or is fluorescent or luminescent, an optical (2, 3, 8) scanning component capable of detecting the signals emitted by all of said inks, and an information technology component for analyzing said signals. Given the large number of combinations of dyes, sizes and shapes of the markings made with said dyes, the ability to change the type, size and shape for the marking (5) for a given product, and the ability to keep track of the dyes and markings used for a given product, the system allows a nearly foolproof system for product authentication. The method involves the above system, or other combinations of inks, for authenticating a given product.



CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZM, ZW, ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)

- as to the applicant's entitlement to claim the priority of the earlier application (Rule 4.17(iii)) for the following designations AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV

MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZM, ZW, ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG)

- of inventorship (Rule 4.17(iv)) for US only

Published:

- with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

TITLE OF THE INVENTION

System and Methods for Product and Document Authentication

5

CROSS REFERENCE TO RELATED APPLICATIONS

This application is a continuation-in-part of U.S. Patent Application Serial No. 09/354,891, filed July 16, 1999,
10 which is incorporated in its entirety herein.

STATEMENT REGARDING FEDERALLY SPONSORED RESEARCH OR
DEVELOPMENT

N/A

15

BACKGROUND OF THE INVENTION

Accurate verification of products and documents is critical to a wide variety of industries including the manufacture of pharmaceuticals, clothing, or automotive parts, and the issuance of credit and identification cards or travel/immigration documentation. Counterfeeters of products, currency and documents have developed increasingly sophisticated methods of detection and copying of marks and labels. Counterfeiting and diversion cost owners of products, brand names, and intellectual property billions of dollars annually on a world-wide basis, according to the International Anti-Counterfeiting Council (IACC). The problem in the United States, for 30 example, encompasses an estimated loss in revenues of \$

-2-

200 billion per year, as well as associated costs in tax revenues and the loss of jobs.

Current technologies used to detect counterfeit, diverted, or gray market products include a variety of 5 techniques. The recently published volume, "Optical Security Documents", 2nd ed. (Ed., E. L. van Renesse, Artech House, Boston, 1998) describes methods in detail that employ security printing, holograms, optically variable devices, and thin film security devices. A 10 popular choice that remains among these techniques is markings with holograms. In most applications, these features are not covert; moreover, methods have been developed that reproduce holograms with remarkable accuracy. A preferred method in controlling inventory or 15 personal access systems is the bar code. This familiar methodology produces black and white line images that incorporate an alphanumeric code; techniques for applications and encryption of bar codes are increasingly sophisticated and include multi-layering, 1-D and 2-D 20 imaging, and other features.

A number of U.S. patents have been issued that describe the use of luminescent materials for product or document identification. (4,921,280, M. Jalon, Security Fibers and other Materials Made Luminescent by a Dyeing Process, 25 Process for their Manufacture and Their Applications; 4,874,188, G. Philippe, et al., Fiduciary or Security Object Enabling Visual or Optical Authentication; 5,135,569, E. Mathias, Ink Composition Containing Fluorescence Component and Method of Tagging Articles Therewith; 5,461,136, J. 30 Krutak, et al., Method for Tagging Thermoplastic Materials with Near-infrared Fluorophores; 5,525,516, J. Krutak, et

al., Method for Tagging Petroleum Products) Of particular relevance to the present invention is prior art in which bar codes are enabled for security purposes using luminescent invisible inks. (5,542,971, J. D. Auslander and W. Berson, 5 Bar Codes Using Luminescent Invisible Inks; 5,502,304, W. Berson and J. D. Auslander, Bar Code Scanner for Reading a Visible Ink and a Luminescent Invisible Ink and 5,525,798, W. Berson and J.D. Auslander, Bar Code Scanner for Reading a Lower Layer Luminescent Invisible Ink that is Printed below 10 an Upper Layer Luminescent Invisible Ink)

Specific use of lanthanide chelates as security marking is taught in 5,837,042 (B. A. Lent, et al., Invisible Fluorescent Jet Ink), a patent in which lanthanide chelates comprised of the ligands of the 1,3-diketone class or 15 salicylic acid are utilized in ink jet printing applications that feature covert marking.

Unlike most other luminescent organic or organometallic compounds whose lifetime for spontaneous emission (fluorescence) appears commonly in the 1-30 nanosecond range. 20 (corresponding to the time required for signal decay to 1/e, for single exponential decays), the lanthanide chelates display luminescence that is measured in the 0.1 - 5.0 millisecond (ms) time domain. These measurements are carried out using time-resolved emission techniques in which 25 a pulsed source of light is used to excite a sample (J. N. Demas, Excited State Lifetime Measurements, Academic Press, New York, 1983).

The capabilities of rare earth chelates to produce bright luminescence that displays a long decay time have 30 been chiefly exploited in the assay of biological macromolecules. For example, the tagging of antigen or

antibody components with chelating ligands in fluorescence immunoassay is now well established (e.g., the EALL techniques, or enzyme-amplified lanthanide luminescence - R. A. Evangelista, et al., *Analytical Biochemistry*, 197, 213 5 (1991)). The principal advantage associated with lifetime measurement lies in the ready discrimination of the millisecond luminescence of chelates from the nanosecond fluorescence associated with background emission which is native to the labeled biomolecule. This method of recording 10 luminescence intensity at different time intervals following photoexcitation of a sample has been demonstrated using a time-resolved fluorimeter or a system having a laser source and photon-counting or other means of detection (5,854,008, E. P. Diamandis, *Europium and Terbium Chelators for the 15 Time-Resolved Fluorometric Assays*; T. K. Christopoulos and E. P. Diamandis, *Analytical Chemistry*, 64, 342 (1992)).

A number of U.S. patents have also appeared that use luminescence decay time as a measure of a physical or environmental parameter (principally temperature). In this 20 methodology, luminescent materials such as chromium-doped crystals or metal phosphors are used, along with detectors which, for example, are comprised of a video camera, timing circuits, and a CCD array. (5,600,147, E. M. Jensen, *Temperature Measuring System Having Improved Signal 25 Processing and Multiple Optical Sensors*; 5,414,266, M. H. Sun, *Measuring System Employing a Luminescent Sensor and Methods of Designing the System*; 5,304,809, K. A. Wickersheim, *Luminescent Decay Time Measurements by Use of a 30 CCD Camera*; 5,107,445, E. M. Jensen, et al., *Modular Luminescence-based Measuring System Using Fast Digital Signal Processing*)

In the field of security bar coding, lanthanide chelate luminescence has been employed, along with scanning devices capable of distinguishing long-lived luminescence have also been reported. (5,542,971, J. D. Auslander and W. Berson, 5 Bar Codes Using Luminescent Invisible Inks; 5,693,693, J. D. Auslander and W. Berson, Bar Code Printing and Scanning Using Wax-based Invisible Fluorescent Inks) A recent patent describes a method in which light signals from a luminescent bar code layer doped with a phosphorescent ink are 10 distinguished, based on time resolution, from the faster decay of fluorescent light emanating from a conventional film layer (5,861,618, W. Berson, System and Method of Improving the Signal to Noise Ratio of Bar Code and Indicia Scanners that Utilize Fluorescent Inks).

15

BRIEF SUMMARY OF THE INVENTION

The present invention relates to both a system and method for product authentication. The system used herein 20 comprises (1) one or more dyes or pigments, at least one of which is either invisible to the naked eye or is fluorescent or luminescent, (2) an optical component capable of detecting the signals emitted by all of said inks, and (3) an information technology component for analyzing said 25 signals. There are a large number of combinations of (1) dyes or pigments, (2) sizes and shapes of the markings made with said dyes, (3) the ability to change the type, size and shape for the marking for a given product, and (4) the ability to keep track of the dyes and markings used for a 30 given product. With these features the system allows a nearly foolproof method for product authentication. The

-6-

method employs the above scanning and information technology components, along with the above dyes or other combinations of dyes, for authenticating a given product.

5

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 shows typical chromophores used in an ink or tag, said chromophores being europium chelates. (Chemical structures of ligands are illustrated; it is assumed that 10 actual structures are tris-chelates in which three ligands are bound to metal.)

Figure 2 shows examples of a ytterbium chelate and ultraviolet and blue-violet emitters.

Figure 3 shows 'charge transfer' modifications to 15 ligands that control chelate absorption (e.g., shifts to longer wavelengths in the near UV).

Figure 4 shows the digital capture of an invisible barcode temporal decay time.

Figure 5 shows the spectra for a product which is 20 marked with both terbium (a) and europium (b) chelates.

Figure 6 shows the typical profiles of excitation and decay of luminescent dyes used in this invention.

Figure 7 shows a schematic of a lifetime imaging detector.

25 Figure 8 shows a schematic of mark variations, including selections for variable data, authentication signatures, and spatial arrangements.

Figure 9 shows the overall system operational steps (A), after excitation and decay of a dye sample and the 30 verification pathways or modules for authentication and reading of variable data (B).

-7-

Figure 10 shows system data collection, routing and transmission modes.

Figure 11 shows a block diagram of the overall system including mark illumination, detection and data 5 transmission.

Figure 12 shows an illustration of an on-line reader for reading authentication of variable data signatures and data transmission capability.

Figure 13 shows a block diagram of a generic two-10 channel detection device covered by this invention.

Figure 14 shows a sequence of luminescence spectra and recorded lifetimes during the course of heat treatment for two europium chelates (I and II), one of which is heat labile and one relatively heat-stable. The times range from 15 0.45 (spectrum a) through 1.12 (spectrum d) milliseconds in the heat treatment process.

Figure 15 shows luminescence spectra for two near-infrared dyes recorded before (solid lines) and after (dashed lines) irradiation treatment using a Xenon lamp.

20

DETAILED DESCRIPTION OF THE INVENTION

A system for product authentication is described that integrates unique luminescent or fluorescent tags (also 25 referred to as taggants) with an optical scanning system and information technologies. (These tags are otherwise referred to as dyes, pigments, inks, marks, or labels elsewhere in this application.) Some tags are the subject of a pending patent application (U.S. Serial No. 09/354,891, 30 filed 7/16/99, hereafter referred to as '891), which is incorporated herein in its entirety. This application

relates in part to the other components, namely the scanner and the information system, and the incorporation of these components along with the tags to constitute a product or document authentication system. The use of any dye, not 5 solely the above dyes, along with a scanner and information system, constitutes a method for product authentication.

In addition, other tags and spatial features of the tags are proposed that increase the number of unique tags that can be created with these luminescent materials. The 10 later examples are designed to add another level of protection for covert marking of products or documents. Examples included have the property that neither their excitation spectra nor their luminescence is observable, or at best very faintly observable, by the human eye. These 15 examples are meant to encompass classes of chromophores such as the rare earths that emit in the near-infrared (e.g., chelates that are based on ytterbium (971 nm) and neodymium (1064 nm). A chelate derivative of ytterbium (3+ oxidation state) is shown in Figure 2. Also useful in this context 20 are chromophores that absorb in the ultraviolet, which emit at very short wavelengths, sometimes also in the ultraviolet. The latter classes of chromophores include aromatic hydrocarbons, oligophenylenes, conjugated polyenes or stilbene derivatives, coumarins, furans, quinolones, 25 oxazoles, and thianthrenes (M. Maeda, *Laser Dyes*, Academic Press, New York, 1984). These groups of compounds display relatively high quantum yields of fluorescence with light emission in the wavelength range of 350-450 nm, and fluorescence lifetimes that fall in the range of 1-50 30 nanoseconds. Other compounds that show utility for covert marking and lifetime imaging, representing the latter

classes of structures include 1,5-diphenyloxazole and thianthrene (Figure 2).

Several possible embodiments of the optical scanning system and its subsystems/components are described. The 5 scanner will provide an indication to the user as to (1) whether it detects a tag; and (2) whether or not a detected tag is authentic. By linking the scanner to a database system - or otherwise incorporating such a capability into the scanner itself - this authentication will be based upon 10 the most up-to-date information regarding the tag(s) in use. Further, the authentication can be linked to an inventory control and management system, providing even greater benefit to the user.

Some features of the dyes used herein will be briefly 15 discussed herein, although '891 should be referred to for additional information. The design of the ligand chromophores for rare earth chelates has been limited historically to the basic requirements of UV absorption (improved light harvesting) and ligand-metal excited state 20 energy matching. We demonstrate in '891 that ligands having a particular assembly of substituent groups can be used in a predictable way in order to act as more effective sensitizing agents.

The effect of adding a charge transfer (CT) feature to 25 the local ligand transition is shown in Table 1, which illustrates absorption and luminescence data for the europium compounds shown in Figure 1. Listed are wavelengths for absorption by the free ligand in a common solvent as well as the peak wavelength and peak extinction 30 coefficient for the corresponding Eu chelates. Additional data are provided that show the expected luminescence

features for these complexes (see '891). These include the luminescence lifetimes for chelates in buffered water solution. The desired shifts that are due to the introduction of CT character to the ligand transition can be 5 brought about by the incorporation of a large variety of electron donor or acceptor groups (Fig. 3) with various linkers. The latter linking moieties may consist of, but are not limited to, groups that provide a degree of pi electron conjugation (such as alkene (C=C), alkyne (C=C), 10 aryl, azo (N=N); in the parent structure the linking group may be absent.

Modifying groups that would be classified as electron donors include, but are not limited to, aryl groups further modified with one or more electron donating substituents 15 such as hydroxy (-OH), alkoxy (-OR), oxide (-O⁻), amino (-NH₂), alkylamino (-NHR), dialkylamino (-NR₂), thioether (-SR), carboxylate (-CO₂⁻), and sulfonate (-SO₃⁻). A parameter of merit is their electrochemical half-wave potentials for oxidation that should be less positive than E_{1/2} = 1.3 V vs 20 SCE. Modifying groups that would be classified as electron acceptors include, but are not limited to, aryl groups further modified by nitro, quinone, carboxyl, ketone, aldehyde, halogen, sulfonyl groups, or carboxylic acid 25 derivatives. A parameter of merit is their electrochemical half-wave potentials for reduction that should be less negative than E_{1/2} = -1.5 V vs SCE.

Of special utility are those substitution patterns for ligands that shift wavelengths for absorption by the appropriate metal chelate to the red, particularly into the 30 region of 350-400 nm, where the sensitization of metal transitions by ligands is possible (note the shift to

longer wavelength of the peak absorption for compounds 2, 3 and 4 vs 1 in Table 1). (Also compare luminescence data for compound 6 vs. compound 5.) This wavelength region is appropriate for use in conjunction with a number of 5 different light sources (e.g., Hg lamps) but in particular these wavelengths match light sources that include ultraviolet light emitting diodes (LED's). The latter are increasingly available and provide narrow band excitation at low cost and high efficiency. Yet another feature is that 10 chelates taken together, or a single chelate that is comprised of a combination of different ligands (for example, three ligands coordinated to a lanthanide ion, $\text{Ln}(\text{XYZ})$) will harvest light (broad band excitation) more effectively (e.g., ligands for 1 and 4 taken together).

15 To facilitate understanding of the invention, a number of terms are defined.

The term "luminescence" refers to emitted radiation that results from deexcitation of a molecule or ion from an excited electronic state to its ground electronic state. 20 The emitted radiation is referred to as fluorescence if the excited and ground electronic states are of the same spin multiplicity (de-excitation does not require a change in spin angular momentum); the emitted radiation is known as phosphorescence if de-excitation is "spin forbidden" and 25 requires a change in spin angular momentum. Luminescence is a process that normally requires the absorption of light at one wavelength, resulting in excited species which are fluorescent or phosphorescent at a different (usually longer) wavelength; R.S Becker, "Theory and Interpretation 30 of fluorescence and Phosphorescence," Wiley-Interscience, pages 76-97, New York, 1969.

The term "luminescent compound" for the purposes of the present invention, refers to a substance that is capable of emitting electromagnetic radiation as the result of photoexcitation.

5 For the purposes of this invention, we define luminescence as "short-lived" if the decay time associated with that emission is shorter than 1.0 microsecond and "long-lived" if the decay time is longer than 1.0 microsecond. It is understood, although not strictly 10 required, that these ranges of time scale can be defined, respectively, as fluorescence and phosphorescence. In general, the more inclusive term that defines emitted radiation, luminescence, will be used in describing essential elements of the current invention.

15 The term "luminescence decay time" refers to the profile of luminescence intensity as a function of time for a composition that gives rise to fluorescence or phosphorescence, and any interchangeably be referred to herein by the term "fingerprint" (or "time resolution of 20 emission"), to signify the particular profile of any specific composition. The luminescence of any composition will grow and decay in a particular period of time with respect to an initiating light pulse; the decay profile will be a particularly sensitive characteristic of the specific 25 composition or combination of composition and chemical environment in which that composition is bound; J.N. Demas, "Excited State Lifetime Measurements," Academic Press, pages 12-42, New York, 1983. The luminescence decay can be plotted graphically as an intensity versus time plot, and 30 subjected to mathematical analysis that allows a quantitative description of the shape and descent of the

-13-

decay curve. Most commonly, a luminescence decay will follow an exponential function; however, the decay pattern may be more complex, reflecting the possible array of compositions that display different properties of the 5 composition, or different physical environments. More complex decay functions that can be shown to fit an observed luminescence decay pattern include multiple exponentials (double, triple, etc.), a "stretched exponential", a Gaussian distribution of exponentials, or other complex 10 functions, J.N. Demas, *supra*.

The decay time (τ or $1/e$ for an exponential function), as it is defined, is a characteristic of the luminescence compositions of the present invention. In one embodiment, luminescence from a marked substrate will follow a single 15 exponential decay. In the accompanying Figure 4, the luminescence of chelate 4 (described in Table 1) is shown, along with the identification of the material that is marked and the experimental conditions used for observation. The parameters associated with this embodiment are (a) the 20 intensity profile (Fig 4), (b) the log plot of intensity vs. time that is a linear function for a single exponential decay, and (c) a luminescence lifetime (having the symbol, τ) that results from the slope of the log plot or from other curve fitting procedures. Typical decay constants (τ) for 25 lanthanide chelates, and a variety of other metal complexes in general, commonly fall in the time domain of 1 microsecond to 1 second, depending upon environmental conditions.

In other embodiments, luminescence follows a decay 30 pattern that is described best by two exponentials. The double exponential behavior can be illustrated with a log

plot; two decay times, τ_1 and τ_2 , result from analysis of two linear portions of this type of graph; J.N. Demas, *supra*. In other embodiments, the decay time of a luminescent species can be expressed as lifetimes associated with single 5 or multiple exponentials (τ_1 , τ_2 , τ_3 , etc.) or with parameters associated with stretched exponential fits or Gaussian distributions of lifetimes, or simply as a weighted or unweighted average of the various distributed quantities.

The term "chelate" as defined herein, is a compound 10 comprising one (or more) metal centers and a ligand that in turn provides coordination sites for metal bonding (e.g. the europium/ligand structures of Figure 1).

The term "lanthanide chelate" as defined herein, is a compound comprising a metal from the lanthanide series of 15 chemical elements that is coordinated to one or more ligands. "Ligand" is defined as an organic or inorganic molecule or ion that is capable of chemical coordination to a metal. Examples of ligands include, but are not limited to, 1,3-diketones, heterocyclic compounds, including the bi- 20 and terpyridines, polycyclic azoaromatic compounds, dipicolinic acid, coumarins, phenols, and salicylic acids. These ligands are normally capable of taking up two or more coordination sites on the metal. The present invention does not limit the metal to the lanthanide series of chemical 25 elements. A variety of chelates or metal complexes are contemplated, and the compositions of the present invention may comprise any type of metallic element (including for example, ruthenium, copper, yttrium, or iridium).

The term "luminescence lifetime modifier" refers to a 30 chemical agent that is capable of altering the emission lifetime (i.e. the decay time, as measured using procedures

in the present specification) of a sample containing a luminescent compound. Examples of luminescence lifetime modifiers include, but are not limited to, imidazole, analogs of imidazole, derivatives of imidazole, alkene 5 polymers, polyesters, biopolymers, carboxylic acids, ketones, amides, phosphine or pyridine oxides, or polymers that provide coordination sites for metals including poly(vinyl acetate) and poly(vinylpyrrolidinone). The term "luminescence enhancer" refers to a luminescence lifetime 10 modifier that enhances the luminescence of a luminescent compound when tested under the conditions described herein.

The term "substrate" as used herein, refers to a material having a rigid or semi-rigid surface. Such materials will preferably take the form of either organic or 15 inorganic materials, such as paper (e.g. colored, plain, currency, bank notes, stocks, bonds), plastic, leather, cloth, thread, metal, and glass, or other convenient forms may be used. Other substrates may include plastic label stock, plastic card stock, metal or plastic foils, 20 holographic foils and materials and adhesive layers associated with labels. In some embodiments, at least one surface of the substrate will be substantially flat. Other types of materials that can be usefully doped or tagged include sprays, adhesives, or films and coatings. A 25 substrate may be marked, labeled, tagged or otherwise designated or sorted as the result of application of a luminescent composition of the present invention.

The term "metal" as used herein, refers to a metal center, a metal ion, or a metallic element, without regard 30 to any specific oxidation state.

The tags described herein are contemplated as being used on documents, products or other substrates for the purpose of authenticating said documents, products or other substrates, examples of which include, but are not limited 5 to, paper (e.g., plain, colored, currency, bank notes, stocks, bonds), cloth, plastic, leather, thread, metal, glass or combinations thereof.

Examples of goods that would be most appropriately marked using the formulation of organic solvent, lanthanide 10 chelate, and lifetime modifying agent include, but are not limited to, credit or identification cards, gift cards, wrapping, film, label or card stock, printing inks, sprays, adhesives, packaging for pharmaceuticals or software, labels, foils, other forms of plastic wrap, and hard plastic 15 compositions found in autos or aircraft and in games and toys. Holograms, including those that may be employed otherwise as security features, can have extra security marks placed on them as well using this method.

The tag is applied to a substrate using any one or a 20 combination of methods of printing, for example ink jet, continuous ink jet, thermal transfer, pad, offset, gravure, flexographic, or screen printing.

A method is described whereby products or documents can be identified based on the recording of a luminescent image. 25 The image consists of a discrete luminescence spectrum and a well defined luminescence decay time. Using a pulsed source for photoexcitation, luminescence intensities are recorded as a function of time following initiating pulses of light. Wavelength and time resolution of luminescence signals 30 produces a unique signature that can be identified with a particular product or document. This coding of luminescence

information can be detected using a scanning device that can store or transmit data for recovery and use in the verification of product or document identity. The technology is enabled through the use of, for example, 5 metal chelates that show discrete luminescence signals whose decay times are an adjustable variable that depends on the selected metal, the chelating ligand, and modifying agents that provide further control over luminescence lifetime. Two or more chelates may be used in combination to provide a 10 decay time profile that can reflect a weighted average of the two respective decay constants (τ_1 and τ_2) or appear in two time domains that are discriminated.

Luminescent compositions are identified that provide a means of marking a substrate, using luminescence decay time 15 as an adjustable and readable parameter. In preferred compositions that include rare earth chelates and chemical agents that act as lifetime modifiers, multivariable codes are produced for the purpose of tagging products or documents. The methods described will be well suited for 20 control of product inventory, and in measures that counter product diversion and counterfeiting.

The photoluminescent signal that constitutes a covert label under the preferred embodiments has a combination of innovative features. We summarize the important features of 25 the spectroscopic data as follows. As shown in Fig. 5 for europium and terbium chelates, luminescence occurs in relatively narrow lines that are better resolved than the fluorescence that is commonly observed for conventional dyes. Chelates show low absorptivity in the visible region, 30 so that marks are not visible to the naked eye. Luminescence can be observed by combining two dyes and using

selective excitation in the UV as shown in Fig. 5 for a combination of Eu and Tb chelates. The present description is not meant to limit the use of the lanthanides, but encompasses other elements in the lanthanide series, 5 including, for example, gadolinium, samarium, ytterbium, or neodymium. This assortment of chelates, therefore, provides luminescent materials with windows of utility that span the visible spectrum (400-700 nm) and extend the method of marking to near-infrared wavelengths (700-1100 nm).

10 The elements that are new in this methodology involve the demonstration that lifetimes of chelates for a variety of substrates (e.g., paper, cloth, plastic) can be marked with a code that will be read as an image, a wavelength (color), and a decay time. Thus, the tag has 15 characteristics that can be detected and can include such variables as image (e.g., the shape of the security mark), color or wavelength, or decay time of the luminescent components, or any combination of these variables. Important to this new method is the development of new 20 chelates that show superior absorption and energy transfer features, particularly for sensitizing the luminescence of europium chelates. In addition, following an assessment of the photostability of a number of classes of chelates, it was determined (in '891) that previously reported structures 25 (particularly chelates having the 1,3-diketone type of ligand) do not show long term stability to light. New chelates having higher stability toward photochemical decomposition (compounds shown in Fig. 1) have been shown to produce emission signals with reproducible characteristic 30 lifetimes for luminescence decay in the millisecond time domain. Moreover, classes of lifetime modifiers (e.g.,

-19-

derivatives of imidazole that serve as ancillary coordinating ligands, or coordinating polymers such as polyvinyl acetate), have been identified which can be used in conjunction with a variety of chelates in order to 5 produce a matrix of variables that include emission wavelength and decay time. It is further demonstrated that a combination of one or more dyes having variable lifetimes according to individual compositions of the marking ink can be scanned for recording wavelength and decay time with high 10 fidelity. Also described is a simple inexpensive detector that can be used for the collection, digitization, and communication of luminescence data.

Security features will display not only a physical image and a color (luminescence wavelength) upon 15 interrogation. A critical additional level of security is associated with "lifetime imaging" - i.e., a covert signature will also include a well defined luminescence decay time, a distinct but adjustable property of each chelate and the medium in which it resides. Lifetime 20 imaging is carried out using pulsed light excitation for sampling. The results of recording lifetimes for various samples are shown in Figs. 4 and 6. Luminescence lifetime data are compiled in Table 2 that show (see '891) the versatility of the method in terms of application of 25 different dye formulas having different lifetime modifiers to paper.

The success of lifetime imaging as a security feature depends critically on two factors: (1) the reproducibility of lifetimes for a given sample (the combination of chelate, 30 the medium with which it is applied, and the substrate); and (2) the ability to alter lifetimes in a systematic manner by

"tuning" the application medium. The lifetime data shown in Table 2 confirm that both of these criteria are met. The variance in lifetimes is based on the computed average deviation of data based on 3-4 independent measurements of 5 single exponential decays. Thus, lifetimes recorded for a single composition of chelate/medium and substrate are shown to be reproducible to within \pm 5%.

In order that lifetimes be adjustable and therefore part of a matrix of information that is retained in a 10 luminescent security feature, further alteration in the photophysical properties of chelates is required. We have adopted a strategy in which additives to the application media for a set of chelates are introduced. We have identified two types of additives or modifiers that are most 15 suitable for altering the lifetime of chelates. The first is the molecule, imidazole, and by extension structures having the imidazole ring, including histidine and its derivatives, N-aryl or N-alkyl imidazoles, and annulated structures in which additional aromatic rings are fused 20 (e.g., benzimidazole and the like). The changes that we have observed for emission intensities and lifetimes upon addition of imidazole to solutions of chelates before application are presumed to be related to the change in number of water molecules remaining at coordination sites 25 that are responsible for luminescence quenching. The effectiveness of imidazole and its simple derivatives as coordinating ligands can be rationalized on the basis of a donicity parameter (basically the ability of the heterocyclic ring nitrogen to act as an electron pair donor). For 30 example, stable coordination complexes in the solid state of the lanthanides, europium, yttrium, and cerium, and N-

methylimidazole have been reported (W.J. Evans, et al., Chem. Commun., 2367 (1998); W. J. Evans, J. Coord. Chem., 34, 229 (1995)).

5 The new findings that are enabling have to do with the systematic modification of lifetimes that can be brought about by addition of imidazole to chelate reagents (Table 2). The data in sum demonstrate that lifetimes can be modified typically 25-50% on the addition of an imidazole modifier.

10 Another interesting feature of the luminescence data is the subtle change in peak emission intensity that is observed for the principal lanthanide emission bands on addition of a coordinating group ("modifier"). For example, addition of imidazole brings about a change in the intensity 15 ratio. This determination is consistent with the finding that the electric dipole character for the $^5D_0 - ^7F_2$ band (612 nm) is more sensitive to the ligand field and can reflect the number of coordinating ligands of a particular type (G. Blasse, Adv. Inorg. Chem., 35, 319 (1990)).

20 A second class of modifier is most efficacious in situations in which a lanthanide chelate is applied via an organic solvent. This type of composition of security ink is most appropriate for marking materials comprised of conventional plastic (e.g., vinyl polymer or polyester).

25 The preferred modifier for this type of substrate is poly(vinyl acetate) (PVA), a well known commercial alkene polymer having a molecular weight in the range of 10,000 - 500,000 Da (K. J. Saunders, " Organic Polymer Chemistry"). We have demonstrated that for europium chelates that employ 30 ligands of the 1,3-diketone class, the luminescence intensity (in the absence of an additive) is reduced and

emission lifetimes are shortened for marking inks that utilize common solvents, including dichloromethane, chloroform, acetone, or ethyl acetate. Increases of 30-40 fold in luminescence intensity and lifetime are observed for 5 ink compositions that include moderate concentrations of PVA (e.g., millimolar range) (see '891).

The addition of one lifetime modifier to a set of chelates, in effect, multiplies the number of unique luminescent reagents by two or more, depending on the 10 effect of different concentrations of the added modifying reagent. The matrix that finally develops is quite robust, employing a wide range of adjustable parameters. The choice of lanthanide metal determines the wavelength regime in the visible and near-IR for interrogation. The 15 choice of chelating ligand controls the base lifetime for a particular metal and substrate, with reasonable variations that can range by as much as a factor of 100 (e.g., 0.1 - 10.0 msec). Further adjustment in the luminescent signal is accomplished by addition of a 20 lifetime modifier (e.g., imidazole or PVA). Still further differentiation in the security feature can be made on the basis of the ratio of vibronic intensities for a particular chelate; i.e, a ratio of emission peak heights 25 can be measured using a steady irradiation source or pulsed excitation (e.g., for europium chelates, $\lambda = \text{ca. } 592$ and 612 nm). The combination of multi-color, multi-decay-time interrogation offers unprecedented versatility in terms of systematic alteration of covert identifiers.

Yet another class of luminescent compounds that provide 30 long lived emission, in a suitable range for recording by simple detectors, are metal-based pigments such as those

having metal oxide or metal sulfide structures. Examples of these pigments that absorb ultraviolet light and emit light in the visible range include composites of zinc sulfide and copper or manganese (e.g., ZnS:Cu) or yttrium-europium structures (e.g., Y₂O₃:Eu). These compounds give rise to luminescence that displays decay times of 0.3 to 25 ms when they are applied to paper or label stock with a suitable dispersant (e.g., poly(vinyl acetate), PVA).

In addition to the dyes disclosed in '891, it has been found that any luminescent dyes, or pigments, can be used herein. When one considers that there are virtually an unlimited number of possible sizes and shapes of the "printed" version of each dye (see '891), including each dye being printed in the shape of a letter or number, one realizes the number of permutations. In addition, the concentration of dye (i.e., amount of dye per surface area) can be varied, in order to vary the amplitude of the signal. If more than one dye is used, the relationship (e.g., ratio) between concentration of the dyes is another variable. Having the ability to utilize such a large number of combinations of dyes, plus the ability to frequently change the combination and communicate identification to those who need to authenticate products/documents provides a system that is extremely difficult to counterfeit.

Consider the attached Diagram as depicted in Figure 7. The signaling and data paths commence with the Power Supply 1 that provides the electrical excitation for the optical source, and may also provide power to other electrically-powered elements of the optical component, generally an optical scanning unit, which consists at least in part of a Scanner system such as the Scanning element,

the Detection element, the Electronics, etc. The Power Supply can consist of a battery, an AC/DC converter, or other similar element(s) or combination. The Light Source 10 provides the optical excitation for the Mark. It may 5 consist of a pulsed Xe strobe or flashlamp, a broadband source such as a halogen lamp or incandescent, a chopped broadband source, a discrete source such as a laser, LED or super-luminescent LED, a time-modulated broadband or discrete source, etc. The Source can consist of one or more 10 of these optical sources; for example, it might incorporate several narrow-band LEDs to excite a variety of luminescent compounds. The Source must provide spectral excitation at the wavelength appropriate for the emitting species. The Source may also be operated CW (continuous wave) to 15 illuminate the Mark for its detection and spatial localization. And finally, the Source may be a combination of CW and modulated sources, or a source that can be operated both CW and in a modulated fashion. The Source will provide optical output that may include, but is not 20 limited to, UV and visible wavelengths.

The UV Excitation Filter 2 shapes the optical spectrum of the Source. It can consist of a grating, a dielectric filter or stack, a short-pass filter, a band-pass filter, a line filter, a glass filter, or any other optical spectrum-shaping element. The Excitation Filter may incorporate 25 several of these filters, for example in a filter wheel. The Excitation Filter will further resolve the optical output and tune in the absorption or excitation wavelengths of the Mark. For certain narrow-band sources such as 30 lasers, the Excitation Filter may be optional. The Excitation Filter will shape the optical output over a

spectral range that may include, but is not limited to, UV and visible wavelengths.

The Delivery Path 3 consists of a fiber or fiber bundle, a lightpipe, any other type of optical waveguide, 5 air or some other medium, and/or free space optics such as lenses. The Delivery Path spatially (and spectrally) formats and efficiently transmits the excitation light to optimally excite the Mark.

The Mark 4 may consist, for example, of luminescent 10 dye(s) and/or inks formulated with luminescent dyes, capable of producing an emitted optical spectrum under optical excitation. The Mark may be a thin film, barcode, 1-D or multidimensional barcode, marking thread(s), or labels. The Mark may be printed by a variety of methods, including, but 15 not limited to, ink jet, thermal transfer, dye sublimation, or screen printing. The Mark may be incorporated in a label, card, foil or part, (e.g., dye incorporated as a dopant in plastic label or card stock or adhesive, or foil), in fabric or in thread. The Mark may be applied with a 20 laminant layer or incorporated into an adhesive layer. The Mark may be applied to packaging: for example, as pharmaceutical packaging such as boxes, plastic wrap, bottles, and/or bottle caps.

The Mark may incorporate one or more spatially-distinct 25 areas that incorporate luminescent dyes, said dyes and their deposition being described in '891. The Mark may alternatively incorporate two or more spatially overlapping areas that incorporate fluorescent dyes, said dyes described in '891. The Mark may incorporate two or more spatially 30 overlapping areas that are coextensive that incorporate luminescent dyes, said dyes described in '891. The Mark

-26-

may, alternatively, incorporate some combination of spatial areas that may be distinct or overlapping that incorporate luminescent dyes, said dyes described in '891. Some of these various embodiments of the Mark are illustrated in 5 Figure 8. Once photoexcited, the luminescent compounds incorporated in the Mark will emit at specific wavelengths. This luminescence may be CW for detecting and locating the 10 Mark, and will have an emission decay time signature(s) corresponding to the dye(s) incorporated therein once the Source is turned off, or is modulated (i.e., pulsed). The Mark may include 1-D and/or 2-D barcode information in addition to authentication "signature" information.

The emission from the Mark 5 (Fig. 7) travels the Collection Path. This path consists of a fiber or fiber 15 bundle, a light pipe, any other type of optical wave guide, air or some other medium, and/or free space optics such as lenses 11. The Collection Path efficiently gathers and spatially (and spectrally) formats the excitation spectrum; for example, it may route, collimate, and/or focus light 20 emitted by the mark under excitation. The Collection Path may be coincident, or have significant overlap, with the Delivery Path through use of a bifurcated fiber, or dichroic beam splitter or other filter(s). This latter configuration is not shown in the block diagram. The luminescence may 25 consist of wavelengths in some portion(s) of the UV, visible, and infrared regions of the spectrum.

The Emission Filter 6 shapes the optical emission spectrum of the excited Mark. It can consist of a grating, a dielectric filter or stack, a short-pass filter, a band-pass filter, a line filter to filter out ambient light, a glass filter, or any other optical spectrum-shaping element.

The Emission Filter may incorporate several of these filters, for example in a filter wheel. The Emission Filter must pass spectral power in the emission wavelength bands of the Mark luminescence. The Emission Filter may pass 5 wavelengths in some subset(s) of the UV, visible, and infrared portions of the spectrum.

The light that passes through the Emission Filter may be further formatted spatially by a Scanning element. This Scanning element may consist of a holographic, galvanic, 10 electro/optic, MEMS, or other transmission or reflective scanning element or elements, and may be scanned in 1-D or 2-D. Similarly, the light from the Source may be optionally scanned in this fashion.

The Detection element(s) 7 convert the emissive 15 output(s) of the Mark into electrical signal(s). The Detection element may consist of one or more discrete detectors such as PMTs; silicon, GaAs, AlGaN, InGaAs, or similar optical semiconductor detectors; bolometers; a multiplicity of these detectors in a linear or 2-D array; or 20 a multiplicity of semiconductor detectors such as are found in a linear or 2-D CCD or CMOS arrays. The choice of detector(s) is determined by the amplitude, speed, signal-to-noise ratio, and spectral bandwidth of the Mark's emission(s). These may have integral amplification. The 25 Detection means may be synchronous or asynchronous with the Source's modulation and/or triggering.

The Electronics 8 may consist of one or more preamplifiers, lock-in amplifier(s), wide-band noise rejection filter(s), narrow-band electrical filter(s), other 30 analog signal conditioning, timing and gating sources, triggering outputs and inputs, and may also include one or

more channels of A/D conversion and/or other digital signal conditioning.

The Processor will typically consist of a CPU, which can be a microprocessor, microcontroller, RISC processor, 5 ASIC, PGA, or other digital processing means. In certain embodiments the processing may be done via analog circuitry, or even an analog/digital hybrid. The Processing functions can reside within the Scanner itself; within a separate "box" that is connected to the Scanner via a cable, RF link, 10 or infrared (IR) link; or even at a remote location where the Scanner is "connected" to the Processing via a data network such as an RF LAN, Ethernet, the Internet, etc. The scanning function may also be incorporated as a module that is connected directly to a computer (including hand held 15 devices) that is further enabled to communicate with an area network or the Internet. In digital embodiments the Processing block will run software that decodes the temporal aspects of the optical signatures emitted by the Mark. For example, the processing may involve a time-sampled waveform 20 of the emission amplitude, and compute a decay time (or times) to assess the luminescence emission lifetime(s). This computation may be affected, for example, by a curve fit to a luminescence emission decay curve. These decay lifetimes may be, but are not limited to, nanosecond, 25 microsecond, and millisecond time scales. The Processing may then also compare this lifetime(s) to a set of admissible lifetime(s), and determine whether these signatures match those of an "authentic" Mark. This "database" of admissible time stamps, spatial patterns of 30 the Mark, and combinations thereof may be "hard wired" into the Scanner, may be programmed into the Scanner, may be

uploaded to the Scanner via some external Data Link, or may be stored at some remote location (in this last embodiment, a "compressed" version of the raw data from the fluorescence emission, such as a table of fluorescence decay lifetime(s), 5 would be transmitted over the Data Link to a Remote Host). A block diagram illustrating the processing scheme is found in Figs 9 and 10.

In another embodiment of the system, the information modulated by the Mark and measured by the Scanner is the 10 Mark's selective influence on the known input polarization state of the Excitation Spectrum. For example, the plane polarization state of the excitation light may be rotated with respect to the polarization of the emission from the Mark. The amount of rotation is affected by the alignment 15 of the Mark dye molecules and the length of the emission decay time. This provides another unique "signature" for the Mark that also may be used for authentication: the time-resolved polarization state of the emission spectrum.

Upon the completion of this comparison, the Scanner's 20 Display (9 in Figure 7) would provide the user with an indication, for example, of whether or not a Mark was detected, and whether this Mark was "authentic". The Display can also provide the user with an indication of the system's status, power on/off, etc. The Display can consist 25 of an LCD readout, CRT, one or more LEDs of one or more color, incandescent lights of one or more color, or some combination of these elements. The Display may be augmented by an audible output that can provide another means of alerting the user to the aforementioned indications.

30 The Scanner can optionally incorporate a Data Storage element. This can consist of an EPROM, ROM, RAM, or other

-30-

memory element(s); a smart card or other static data storage card; a disk drive, CD-ROM, DVD, etc.; or any combination of these elements. This can "house" system software, analysis and processing software, data from a scan or series of scans 5 stored in data file(s), product authentication "truth data" for comparison with scanned data, etc.

The Scanner can optionally incorporate a Data Transmit/Receive element to mediate the transfer of data between the Scanner and a Remote Host (Fig. 11). These 10 data may include inventory control/management information, product authentication "truth data" for upload to the Scanner, raw and/or reduced data from the Scanner, data files, and/or other data relevant to the operation of the system. The Data Transmit/Receive element can be a modem, 15 RF LAN transceiver, UART or other serial controller, IEEE-488 bus controller, Ethernet card, cell or satellite phone, or other network interface.

An optional Remote Host will consist of Data Transmit/Receive, Processing, Data Storage, and Display 20 elements that are analogous to those found in the Scanner. For example, the Remote Host may be a server employed on a network that can interface to one or more scanning systems, and can optionally include connections to or even include an Inventory Control/Management System. This system would 25 permit authorized personnel to maintain a database of authentication codes that is continually updated as new dyes are produced, and then incorporated into unique marks, with appropriate links to relevant product/batch/lot data.

The Scanner itself will optionally include the Power 30 Supply (or a cable connecting it to one), the Source(s), Excitation Filter, the Collection Path element, the

Emission Filter, the Scanning element (as necessary), the Detection element, and the Electronics (Fig. 11). In such a configuration, the Scanner can even be hand-held. One likely embodiment would be an imaging Scanner which both 5 detects, landmarks, image processes, and authenticates the Mark. Another embodiment would further include the balance of the elements outside of the Remote Host block within a hand-held unit. These two Scanner embodiments may be fixed in space, and mounted on or near a conveyor system to 10 automatically scan products as they pass the fixed Scanner. In this embodiment the time signature may be detectable using two or more adjacent Detection elements or Scanners, with the spatial separation between these elements effectively "scanning" the Mark where, rather than the 15 excitation spectrum being spatially scanned over the Mark, the Mark moves with respect to a fixed spatially-formatted excitation "beam".

The information technology component used herein (typically a computer) must be capable of analyzing all of 20 the potential systems being evaluated by the system. If the system is being utilized by an organization that must authenticate many products or documents, both the scanner and information system must be capable of detecting many dyes and must be capable of storing information on the 25 authentication characteristics for many products. As indicated, the authentication system must be capable of changing the dyes at any time in order to reduce the likelihood that counterfeiters can "break the code" and create a substitute label system. Therefore, the 30 information technology must be capable of receiving periodic input, either via computer disk, eMail transmission,

internet connection, manual input, or other method in order to keep current the information about the product or products (or document(s)) being authenticated.

In addition to the system described above, applicant 5 has identified the method for product or document authentication which can use any dye or combination of dyes, in conjunction with the detector and information system described above.

The advantages of the integrated system for product 10 authentication are (1) the product(s) can be marked in a covert manner, and these marks can be changed frequently, offering may unique "fingerprints" that can correspond, for example, to product batch or lot numbers; (2) the integrated system can be intelligent, and "know" about the full variety 15 of fingerprints via its IT interface and functionality; (3) the system can be reprogrammed - even remotely - to accommodate new fingerprints, dye time signatures (luminescence lifetimes), dye excitation and emission wavelength bands, etc., through its IT interface; (4) the 20 system can be integrated with an inventory control and management system, to serve both as a conventional mark/scanner system and as a product authentication system; and (5) the system can be portable and compact.

Further variations in the method are possible, since 25 the method can utilize tags which are all in the visible range. Thus, two or more visible tags can be evaluated using the method or system disclosed herein.

Further variations are also contemplated having to do with when the tags are applied. For example, one tag could 30 be applied when the document or product is first prepared, while a second tag could be applied when a second

significant activity takes place (for example, adding important information to a document or exposing the product to a special treatment, such as exposure of the product to sterilizing radiation). Alternatively, the information to be coded can be accumulated and all applied at the same time.

5 Another variation deals with the relationship between the spectral characteristics of the dyes. For example, the ratio of amplitude of the dyes at their maximum emission wavelength can be the characteristic used to determine 10 authentication. Yet another variation can be employed in a forensic application, as follows. Two or more dyes may be used in combination such that detection of luminescence at two wavelengths is possible. A sample can be recorded with 15 regard to a ratio of peak intensities or decay times before placement in the field. On return, the item can be interrogated again, following a pre-treatment with heat or light (electromagnetic radiation) or washing. With proper dye selection, there will be a selective degradation of dye 20 substance by the pre-treatment, leaving part or all of a remaining dye substance that will reveal a unique "before and after" luminescence, or signature. Such variations in spectral characteristics can also be evaluated and reported by the information technology system. Examples of treatments that 25 can be used include:

1. heating tagged samples in a drying oven before spectral analysis (approximately 10 minutes to 24 hours at 50-250 C.),
2. irradiating tagged samples before spectral 30 analysis using lamps that include, but are not limited to, xenon, halogen, or mercury, or laser sources that include

but are not limited to, solid state, Nd/YAG, dye, or nitrogen lasers,

3. washing tagged samples before spectral analysis with solvent, wherein the solvent can, for example, be selected from the group consisting of acetone, 5 tetrahydrofuran, chlorocarbon, ethyl acetate, toluene, dimethyl sulfoxide, dimethylformamide, water and mixtures thereof.

The following examples are intended to further 10 illustrate, but not limit, the invention.

Example 1.

The detection of luminescent radiation, and the recording of steady state emission and excitation spectra, can be carried out using a Photon Technology International, Inc., 15 QuantaMaster luminescence spectrometer, model SE-900M. Emission lifetimes can be measured using a PTI TimeMaster fluorescence lifetime spectrometer, equipped with GL-3300 nitrogen/dye laser as the excitation source (e.g. λ_{exc} -337nm), a DG-535 delay/pulse generator and a strobe 20 detector. Similar instruments, also capable of measuring luminescence decay times in the range from 100 ps to seconds are also available from other vendors (e.g. Edinburgh Analytical Instruments FS900 spectrofluorimeter system). These commercial instruments can be configured to record 25 luminescence spectra and luminescence excitation spectra for the entire range of ultraviolet, visible and infrared wavelengths (e.g. 200-900nm). Software available from the fluorimeter vendors is capable of decay time analysis including, for example, the computation of luminescence 30 lifetimes, the determination of multiple exponential decay

functions, and a statistical analysis of goodness-of-fit to the decay data.

In another embodiment, the comparison of luminescence may be carried out using devices of simple design that allow 5 portability and ease of operation by personnel having minimal training in the field of luminescence spectroscopy. For example, a compact, hand-held apparatus (see Fig. 13) can be fabricated that incorporates a readily available emitting diode light source, and inexpensive diode detector, 10 and simple circuitry that can be understood and implemented by persons skilled in the art of detector electronics. Such a device is illustrated in the description of a UV-scanning apparatus, constructed from available optical and electronic components, that has the capability of discriminating slow- 15 decaying luminescence. These components include a very low-leakage Hamamatsu photodiode (R2506-02), a high impedance (10-12 Ohm) FET operational amplifier (TLO 64), CMOS analog switches (74HC 4066), and a MOSFET low on resistance transistor (IRF 7503) for UV modulation. Utilizing a double 20 differential scheme, the apparatus is relatively insensitive to ambient light and/or temperature changes. Extremely weak signals of luminescence can be sensed by the low-leakage photodiode, if signals are amplified and averaged over multiple periods of the clock generator to improve the 25 signal/noise ratio.

In another embodiment of the present invention, the coding of luminescence information is detected using a scanning device that can store or transmit data for recovery and use in the verification of product or document identity. 30 The storage and transmission of data for recovery may be accomplished via any type wired or wireless communication,

and is not limited to any particular distances. Rather, the present invention may be used to achieve the storage and transmission of data for recovery from one physical point to one or several other specified locations. The example is 5 illustrated for a production line detection system as shown in Fig. 12. The three alternatives (top to bottom) are as follows: The top shows the use of an optical scanner as a hand-held device reading a mark at some distance (e.g., greater than one foot). The middle illustration shows a 10 method in which a hand-held device is used requiring contact with the marked product. The bottom illustration shows a fixed-position optical scanner placed at a prescribed distance from a production line carrying marked product.

Example 2.

15 A specific embodiment of the invention has been developed as a prototype in a laboratory testbed environment. This embodiment is shown schematically in Figure 7. A Xenon flashlamp is employed as a source of fast pulses of ultraviolet light. Using a technique similar to 20 fluorescence microscopy, an excitation filter, dichroic beam splitter, and emission filter are arranged to provide optimum matching of the dye spectral absorption and emission characteristics. In this common-path arrangement, a lens serves as a dual-purpose focusing and collecting optic. The 25 prototype interrogated a proprietary dye that had been ink-jet printed on standard white paper as a covert bar code. This dye/ink formulation had the following properties. An aqueous 0.5 mM solution of a proprietary dye that emits 30 strongly, peaking at 614 nm upon excitation with near UV light was combined with 10% v/v of the humectant, 1,5-pentanediol. This composition was used to fill an HP

black/white ink jet cartridge and printed on plain white paper stock and on a variety of different surfaces of commercial paper packaging. Dyes labeled # 5 (green emission, short wavelength UV), and # 6 (red emission, short wavelength UV) were also used. All of these ink jet printed compositions showed bright luminescence under the respective UV illuminations and provided well resolved spectral images of a variety of printed 1D and 2D bar codes.

In this embodiment, the covert barcode emits luminescence with unique spectral, spatial and temporal properties. The emitted light is collected, filtered, and focused onto a standard silicon photodiode detector. This generated signal is then integrated and processed by associated electronics, and sent to a display. In the prototype, the display was provided by a digital oscilloscope which clearly showed the unique characteristic timestamps of the invisible barcodes. The output of the oscilloscope display was digitally captured and appears in Figure 4. From this decay curve a luminescence decay time was recorded ($\tau = 1.2$ ms).

Example 3.

Another embodiment of the invention has been prototyped in a handheld "yes/no" digital lifetime detector. This embodiment is shown schematically in Figure 13. The device is intended to identify arbitrary marks (e.g., barcodes) that are based on the unique luminescent compounds (e.g., europium or terbium chelates) and chemistries described herein. This capability is enabled by specifically designed excitation and emission optics that are "tuned" to the bands of the luminescent compounds, and appropriate signal processing electronics

that analyze the observed luminescent lifetime and compare against the known characteristic decays. The handheld prototype contains two separate channels (e.g., one for a europium chelate with peak emission at 615 nm, and another 5 for a terbium chelate with peak emission at ca. 515 nm), which can simultaneously interrogate and analyze multiple, arbitrarily shaped covert marks.

The handheld prototype (Figure 13) employs a cavity enclosure 6, shielded from room ambient light, containing an 10 internal power supply 7, the excitation optics 8, emission optics 1 and 2, and detectors 1a and 2a. The device is placed near or in contact with a surface 4 (e.g. paper) that may contain arbitrarily shaped covert marks 5. A Xenon 15 flashlamp 3 is employed as a source of fast pulses of ultraviolet light. A UV excitation filter is chosen with a band-pass that contains the excitation (absorption) spectra of both the luminescent compounds. The emission filters are chosen to provide optimum matching of the compound's emission characteristics. The detectors are standard Si 20 photodetectors, whose signals are properly amplified in the signal integrator and sent to the signal processing electronics 9. These electronics integrate the received signal to record a quantity which is proportional to the luminescent lifetime of the mark under observation. After a 25 pre-determined integration time, the algorithms stored in the electronics compare the observed lifetime with the known lifetimes of the compounds, and display the result in the form of and auditory or visual signal specific for each channel (e.g. "yes/no" LED indicators). The result is 30 conveyed to the onboard serial port 10, which can be connected to various standard devices (e.g. a computer) for

recording or transmitting to a remote location. The handheld prototype has been used to successfully interrogate dyes of the type described in this application, which have been ink-jet printed on standard white paper as a covert 5 barcode.

Example 4.

In this example, forensic chelate samples were heat treated. Samples of a polyester film were coated with a mixture of dyes in a styrene-acrylic resin (Joncryl 67 and 10 678, [trademark of S. C. Johnson]). In this preparation proprietary dye substances labeled I and II were dispersed together at a concentration of 0.5% w/v in a methyl ethyl ketone solution of resin (5% w/v). The coatings were accomplished by drawing down a film using a # 24 Meyer rod. 15 Samples were air dried for 30 minutes before placement in a laboratory drying oven that was equilibrated at 105 C. Samples of film were harvested at 24 hour intervals and cut to an appropriate size for analysis using a PTI fluorimeter. The luminescence spectra recorded for samples obtained after 20 three 24-hour heat treatment intervals are shown in Fig. 14 (untreated sample, upper left; sample after 3 days, lower right). Graph (a) shows both dyes (the one that absorbs at 612 nm and the one absorbing at 618 nm) at the beginning of the heat treatment process. Careful scrutiny showed that 25 the dye, I, that emits with a peak at 612 nm is selectively degraded by heat treatment such that the sample after the 3-day trial corresponds to the emission of dye II (peak luminescence at 618 nm, lower right). Also noticeable was the change in luminescence decay time (inserts, Fig. 14); 30 pre-treatment (Fig. 14a) lifetime readings having the shorter times associated with a combination of luminescence

-40-

from the components, I and II, values after heat treatment corresponding to the lifetime of the dye II, alone (Fig. 14d), and intermediate lifetime readings for partially degraded samples.

5 Example 5.

In this example, forensic IR dye samples were light treated. Proprietary infrared dyes, labeled IR1 and IR2 (40 micromolar concentration), were dissolved together in 50% v/v 2-propanol-water. The two-dye solution was irradiated 10 using a 75 watt xenon lamp for 60 minutes. Emission spectra for the dye solutions were recorded using a PTI Time Master fluorimeter using excitation wavelengths of 650 nm and 690 nm for IR1 and IR2 dyes, respectively. The luminescence spectra are shown in Fig. 15, in which the solid lines 15 correspond to emission of dye prior to the xenon lamp treatment and dashed lines represent dye luminescence after xenon lamp irradiation. The substantial photodegradation of IR2 compared to the behavior of IR1 was noted by recording the ratio of relative intensities measured at the 20 luminescence maxima (light treated vs light untreated).

CLAIMS

1. A system for product or document authentication, said system comprising:
 - 5 a. one or more luminescent or fluorescent tags, said tags being applied to said product or document,
 - b. an optical scanning component for detecting a signal emitted by said tag, and
 - c. an information technology component for analyzing 10 said signal.
2. The system of claim 1 wherein at least one of said tags has an emitted signal of known time resolution.
- 15 3. The system of claim 2 wherein said known time resolution is the time to decay to a predetermined value.
4. The system of claim 1 wherein at least one of said tags is a mixture of more than one compound.
- 20 5. The system of claim 2 wherein at least one of said tags is selected from the group consisting of dyes, inks and pigments.
- 25 6. The system of claim 4 wherein one of said tags is a mixture of a luminescent compound and a luminescence lifetime modifier.
7. The system of claim 6 wherein said luminescent compound 30 is a lanthanide chelate.

-42-

8. The system of claim 2 wherein said known time resolution corresponds to an exponential, or sum of exponential, functions with decay constants (1/e) that fall in the time window of 1 microsecond to 1 second.

5

9. The system of claim 1 wherein said tag has characteristics that can be detected as an image, a wavelength, a decay time or a combination thereof.

10 10. The system of claim 1 wherein the substrate on which said tag is deposited is selected from the group consisting of paper, cloth, plastic, metal, leather, thread, metal or plastic foil, wrapping, coatings, films, holographic materials, label or card stock, printing inks, sprays, 15 adhesives and glass.

11. The system of claim 1 wherein at least one of said tags is invisible to the human eye.

20 12. The system of claim 1 wherein one or more of said tags partially or completely overlaps another of said tags when applied to said product.

25 13. The system of claim 1 wherein said information technology component is capable of resolving the signal detected by said optical scanning system into components, each of which can be further analyzed.

30 14. The system of claim 13 wherein said further analysis comprises identification of the spectral characteristics of said component as a function of time.

15. The information technology component of claim 13 in which said further analysis also includes the determination of whether said tag is authentic.

5

16. The system of claim 1 in which said optical scanning component comprises a light source, tag, scanner, and information technology system.

10 17. The system of claim 1 in which said tags are applied at different times.

18. The system of claim 1 in which said tags are applied at the same time.

15

19. The system of claim 1 comprising two or more luminescent or fluorescent tags, at least one of said tags being a mixture of a lanthanide chelate and a luminescence lifetime modifier.

20

20. The system of claim 1 comprising two or more tags.

21. A system for product or document authentication, said system used to detect the presence of one or more 25 luminescent or fluorescent dyes, wherein said dyes are applied to said product or document, and wherein said system comprises:

- a. an optical scanning component for detecting signals emitted by said dyes, and
- 30 b. an information technology component for analyzing said signals.

22. The system of claim 21, wherein at least one of said tags is a mixture comprising a lanthanide chelate and a lifetime modifier selected from the group consisting of 5 imidazoles, analogs of imidazole, derivatives of imidazole, phosphine oxide or pyridine oxides, polymers that provide coordination sites for metals, poly(vinyl acetate), poly(vinylpyrrolidinone), carboxylic acids, ketones, amides, alkene polymers, polyesters, and biopolymers.

10

23. The system of claim 21, wherein at least one of said tags has an emitted signal of known wavelength band and known decay time.

15 24. The system of claim 1 wherein the said tag is applied to a substrate using a method of printing, including ink jet, continuous ink jet, thermal transfer, pad, offset, gravure, flexographic, or screen printing.]

20 25. A method for authenticating a product or document, said method comprising:

- a. labeling said product or document with one or more luminescent or fluorescent tags,
- b. measuring the signals emitted from said tags using 25 an optical scanning component, after said tags are illuminated with one or more appropriate energy sources, and
- c. analyzing said signals using an information technology component.

30

26. The method of claim 25 in which at least one of said tags has an emitted signal of known time resolution.
27. The method of claim 25 in which the time for said tag to decay to a predetermined value is known.
5
28. The method of claim 25 in which at least one of said tags is invisible to the human eye.
- 10 29. A method for product or document authentication, said method being used to detect the presence of one or more luminescent or fluorescent dyes, wherein said dyes are applied to said product or document, and wherein said method comprises:
 - 15 a. using an optical scanning component for detecting signals emitted by said dyes, and
 - b. using an information technology component for analyzing said signals.
- 20 30. A method for product or document authentication, said method being used to detect the presence of two or more dyes used as tags for said product or document, the combination of said dyes yielding a unique identifier, wherein said method comprises:
 - 25 a. treating said tagged samples by exposing them to elevated temperature, electromagnetic radiation, or washing with selected solvents,
 - b. using an optical scanning component for detecting dye luminescence, and
- 30 c. comparing said dye luminescence detected vs. control samples treated by similar exposures to elevated

temperature, electromagnetic radiation, or washing with selected solvents.

31. A method of claim 30 in which at least one of the said tags is a lanthanide chelate, based on the lanthanide elements, including but not limited to, europium, terbium, samarium, gadolinium, neodymium, and ytterbium.

32. A method of claim 30 in which at least one of the said tags is a near-infrared dye

33. A method of claim 30 in which the luminescence of dye tags is recorded using a spectrophotometer

15 34. A method of claim 30 in which the decay time of luminescence of dye tags is used to establish a comparison of treated and untreated samples

20 35. A method of claim 30 in which luminescence peak intensities for dye tags are used to establish a comparison of treated and untreated samples.

25 36. A method of claim 30 in which the dye tagged samples are heated in a drying oven before spectral analysis at 50-250 C.

37. A method of claim 30 in which dye tagged samples are irradiated before spectral analysis using lamps that include, but are not limited to, xenon, halogen, or mercury, or laser sources that include but are not limited to, solid state, Nd/YAG, dye, or nitrogen lasers.

38. A method of claim 30 in which dye tagged samples are washed before spectral analysis with solvent.

5 39. The method of claim 38 wherein said solvent is selected from the group consisting of acetone, tetrahydrofuran, chlorocarbon, ethyl acetate, toluene, dimethyl sulfoxide, dimethylformamide, water and mixtures thereof.

10 40. A composition of metal chelates in which the metal center is coordinated to one or more ligands that display charge transfer absorption bands.

15 41. A composition of chelates of claim 40 in which the metal center is a lanthanide element, including but not limited to the elements, europium, terbium, samarium, neodymium, gadolinium or ytterbium.

20 42. A composition of chelates of claim 40 in which the ligand is composed of aromatic rings having electron donating substituents.

25 43. The composition of claim 42 wherein said electron donating substituents are selected from the group consisting of -OH, -OR, -O⁻, -NH₂, -NR₂, -NHR, -CO₂⁻, -SO₃⁻ and -SR.

44. A composition of chelates of claim 40 wherein said ligand is composed of aromatic rings having electron withdrawing groups.


45. The composition of claim 44 wherein said electron withdrawing groups are selected from the group consisting of nitro, quinone, sulfonyl groups, ketone, aldehyde, carboxyl, carboxylic acid derivatives, groups and halogens.

5

46. A method for forensic analysis comprising the method of claim 25, wherein said product or document is additionally treated with heat or light.

10 47. The system of claim 1 wherein the characteristics that can be modified in each of said tags is selected from the group consisting of (a) dye, pigment or ink, (b) size or shape, (c) position of one tag in relation to another, and (d) ability to change with time or when exposed to 15 conditions such as heat, light or contact with a solvent.


48. The system of claim 16 wherein said optical scanning component utilizes photoexcitation created by one or more pulsed light sources.



1

?

3








4


5

6

Figure 1

2/17

**Figure 2**



Example




Figure 3




Figure 4

5/17




Figure 5




Figure 6

7/17





Figure 7

8/17



System Operation




Figure 9A

Step 2 Process and Validate




Figure 9B

BEST AVAILABLE COPY

Step 3 Analyze and Report




Figure 10




Figure 11

12/17







Figure 12

13/17

**Figure 13**




Figure 14

15/17




Figure 15

Table 1 Absorption and luminescence parameters for europium chelates^a

<i>Chelates</i>	$\lambda_{\text{max}} (\text{abs})$	ϵ_{max}	$\lambda_{\text{max}} (\text{lum})$	τ_{lum}
1	308 nm	17400	615 nm	0.97 ms
2	326 nm	16600	615 nm	1.02 ms
3	317 nm	17200	614 nm	1.01 ms
4	337 nm	19300	615 nm	0.97 ms
5	339 nm	26000	614 nm	0.36 ms
6	352 nm	24200	615 nm	0.43 ms

a, Aerated water solutions, pH 8.5; [chelate] = 40 μM ; $\lambda_{\text{exc.}} @ 337 \text{ nm}$ for lifetime τ_{lum} measurements; τ_{lum} recorded by monitoring emission at 615 nm.

17/17

Table 2 Luminescence lifetime data for chelates

Chelate	Modifiers ^a			
	None	Imidazole	4-MI	IDA
1	0.97 ms	1.19 ms	1.22 ms	0.45 ms
2	1.02 ms	1.21 ms	1.37 ms	0.48 ms
3	1.01 ms	1.23 ms	1.19 ms	0.46 ms
4	0.97 ms	1.27 ms	2.03 ms	0.60 ms
5	0.36 ms	0.65 ms	0.54 ms	0.50 ms

a. Modifiers at 1.0 mM concentration; Imidazole, 4-methylimidazole (4-MI), and iminodiacetic acid (IDA), were added to an application medium of 200 μ M chelate in water (pH9.0) and applied to plain paper; lifetimes (units of ms) from exponential luminescence decay curves ($\lambda_{\text{exc}} = 337$ nm; $\lambda_{\text{lum}} = 615$).

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US02/17866

A. CLASSIFICATION OF SUBJECT MATTER

IPC(7) :G06K 19/06

US CL :235/491, 454, 457, 468, 494

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 235/491, 454, 457, 468, 494

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched
None

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)

USPTO APS EAST

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5,502,304 A (BERSON et al) 26 March 1996 (26.03.1996), column 3, lines 15-65; column 4, lines 16-39; column 5, lines 4-16; column 6, line 38 - column 7, line 23.	1-5,9-18,20,21, 23-26,28,29,33, 40,41,46-48
---		-----
Y	US 4,819,658 A (KOLODNER) 11 April 1989 (11.04.1989), column 6, line 65 - column 7, line 32.	6-8,19,22,27,30- 32,34-39,42-45
Y	US 4,652,143 A (WICKERSHEIM et al) 24 March 1987 (24.03.1987), column 8, lines 41-61.	6,7,19,22,30-32, 37-39
		8,27,34-36

 Further documents are listed in the continuation of Box C. See patent family annex.

* Special categories of cited documents:	"T"	later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
A document defining the general state of the art which is not considered to be of particular relevance	"X"	document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
E earlier document published on or after the international filing date	"Y"	document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
L document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)		
O document referring to an oral disclosure, use, exhibition or other means	"Z"	document member of the same patent family
P document published prior to the international filing date but later than the priority date claimed		

Date of the actual completion of the international search

16 OCTOBER 2002

Date of mailing of the international search report

02 APR 2003

Name and mailing address of the ISA/US
Commissioner of Patents and Trademarks
Box PCT
Washington, D.C. 20231
Facsimile No. (703) 305-8280Authorized officer
Kimberly D. Nguyen
Telephone No. (703) 305-1798

INTERNATIONAL SEARCH REPORT

International application No.
PCT/US02/17866

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT

Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	US 4,283,382 A (FRANK et al) 11 August 1981 (11.08.1981), column 1, lines 39-52.	42-45

THIS PAGE BLANK (USPTO)